Product Data Sheet

Genuine Reclaimed Oak Plank Light Smoked & Oiled Rustic





Should you require the information on any other details please contact the sales team on **020 8501 6730** or **info@wfa.uk.net**









Product Details

Product Description:	Genuine Reclaimed Oak
Wood Species:	European Oak
Construction:	Engineered
Product Type:	Plank
Grade:	Rustic
Total Thickness:	20.5mm
Width/s:	215 - 225mm
Length/s:	Random 600 - 2400mm
Wear Layer:	5.5mm Oak Wear Layer
Core Layer:	15mm Multi Layer Birch Plywood
Profile:	Tongue & Grooved and Ends Matched
Edge Profile:	2 Sided Micro Bevelled
Finish:	Heavy Brushed - Light Smoked * & UV Oiled

Technical Information

Country of Manufacture:	Europe			
FSC [®] :	FSC MIX Credit FSC-C111710			
Lamination:	Hydraulic Cold Press			
Glue Line:	D3 Water Based Glue			
Norm:	EN 13227			
Reaction to Fire:	EN 13501-1 D _{fl} -S2			
Density:	710 - 735 kg/m3			
Formaldehyde Emissions:	Class E1 Zero Emissions			
Warmth Conduction (approx):	0.130 - 0.140 W/m K			
Production Tolerances;				
Width:	+/- 0.20mm			
Thickness (Total):	+/- 0.20mm			
Length:	+/- 0.20mm			
90° Angle:	+/- 0.05°			

^{*} Our fumed and smoked colours are achieved through a process which reacts with the natural tannins in the oak. Although we use controlled processes when smoking variation in colour will occur and the final colours are dictated by nature and not by using pigmented stains.

Guarantee: 25 years; The lifetime of our guarantee covers the structural integrity of the product being the lamination, production, dimensions and grading. Please see our guarantee sheet for full details.

Grading

Maximum Size of Sound Knots:	Unlimited				
Maximum Size of Filled Knots:	Filled to maximum 60 – 70 mm Larger knots are cut off				
Filled Defects:	Allowed				
Filled Type:	Black Filler				
Sap Wood:	Minimal Edge and Core Sap Wood				
Colour Variation:	Natural Variation Allowed				
Character Variation:	Original Bandsawn and Planer Marks with Irregular Edges Allowed				
Grain Variation:	Mixture of Natural Grain, Open Splits, Holes, Knots, and Dead Worm Holes				

Installation

Please also refer to our guidelines.	1	1	/	
Installation Method:	Glued	Nailed	Floated on Underlay	

NOTE: The fully bonded method of installation is recommended.

Over Underfloor Heating: When glued to an appropriate subfloor this product is suitable for use with water and some electric systems. Floor probes must be installed to control and regulate the flooring temperature which must not exceed 27°C. We also highly recommend the installation of a data recording Fidbox which measures and logs the temperature and humidity levels, see the data sheet for more information or www.floorprotector.at

Site Conditions: 45 – 65% relative humidity & 15 – 25°C room temperature.

Maintenance Advice

To fully aid in the care of the floor it is advised that all precautions are carried out. Avoid scratches by minimising grit and dust, install doorway entrance mats and apply felt pads to furniture. Use PH neutral cleaners and avoid soaking the floor with water at all times.

Recommended Products	Initial	Regular	Monthly	Long Term
Sweep / Vacuum:	✓	1		
Oiled Finish				
Osmo Wash and Care:		✓		
Osmo Maintenance Oil:				✓





that have been installed by a competent flooring installer with the skills and knowledge to take into account individual site circumstances. This is in accordance with and comparable to BS 8201:2011 in the UK or equivalent standards worldwide.







Bandsawn

Partially filled cracks