



BESPOKE WOOD FLOORS

SPECIFIERS GUIDE 2026





Since 1999 we have built a very strong team of experienced staff who have helped us to achieve an excellent reputation within the industry for the service and quality products we offer.

Many have worked for the company for over 10 years and understand our values of **honesty, integrity and reliability.**



This logo will identify the FSC-certified products throughout the specifiers guide.

We are certified to FSC® & PEFC standards.





BESPOKE WOOD FLOORS

European Oak from FSC-certified sources has been used for our Stability and Elegance range of products.

Each board is unique and cut from the choicest mature trees.

Our mission is to supply custom designed, beautifully unique, quality bespoke wood floors. From large commercial developments to private residential projects.

The design possibilities are endless with 1000s of combinations of textures, colours, sizes and finishes.

To achieve the client's quality aspirations and design aesthetic we have simplified the process in 4 easy steps.



Floors that are diverse, durable & exquisite.

SUSTAINABILITY

There are many reasons why engineered flooring is growing in popularity.

Its sustainability, the **FACT** it takes up to 75% less slow grown oak to produce, it works with underfloor heating and the sheer choices available in colour are top of the list.

Environmentally; you can create three to five times the amount of engineered flooring depending on whether you choose a 10/4, 12/3, 15/4 or 20/6mm floor. When this is factored into the decision making, the amount of high-quality oak used in the top veneer layer at our factory in Poland compared to a solid floor, which uses only a very limited section from the tree or vinyl which many are non-recyclable and emit VOCs, the choice to purchase engineered flooring has obvious environmental benefits.

Quality; to complete the structure of the boards our FSC certified Stability Range uses the faster growing birch hardwood for the make-up of the ply, and also utilises only the highest quality adhesives to unite all the layers. These together add another level of confidence that this is a product to sustain a superior level of longevity.

Why is this important? The structure should definitely be considered when specifying a wood floor, inferior products will not last and are also not likely to be good for the worlds environmental footprint.

Practicality; engineered floors can be floated, secret nailed or glued and as mentioned above can be used with underfloor heating systems.

Responsible Forestry; we as a human race are taught at an early age that the importance of growing tree's helps the ozone by absorbing CO2. Breaking it down through the process of photosynthesis to release oxygen into the atmosphere, whilst storing the carbon in the wood for the life of the tree. Responsible forestry protects the future of the Oak tree by ensuring a new sapling is planted to replace the harvested mature tree, thus minimising the impact the production of wood flooring has on the worlds carbon footprint.



SUSTAINABILITY

Here at WFA we are very mindful that sustainability is a matter of extreme importance. We have been a member of the FSC program since 2017 and are delighted to note that more and more projects are requiring FSC certified products.

We ensure all of our products are ethically and sustainably sourced, working proudly with our like-minded, reputable timber manufacturer. All Stability floors are available with PEFC or FSC certification. We also undergo regular and rigorous testing to meet the high standards of both of these internationally respected organisations. Certificates available on request.



The Forest Stewardship Council® or (FSC) is an international organisation that is dedicated to promoting the responsible management of forests worldwide - their local communities and wildlife - to provide “Forests For All Forever”. It is recognised by BREEAM and the by the UK Government Timber Procurement Policy, as well as being the only forest certification scheme that is endorsed by Greenpeace and the World Wildlife Fund.



The Programme for the Endorsement of Forest Certification (PEFC) is an international, non-profit, non-governmental organisation which promotes sustainable forest management through independent third party certification. It ensures that the wood products originating from each national scheme meet equivalent standards and can therefore be traded internationally.



The Woodland Trust is a name synonymous with the fight against climate change. They are the proud caretakers of more than 1,000 woods across the UK, from Lands End to John O'Groats. WFA are just as proud to help support them in all that they do with our contributions that help towards the protection of trees and woodlands.


THE BESPOKE LABORATORY

This is where we create our colour magic, a truly Bespoke service!

Colour mixing is an art, and our colour technicians definitely have a talent at matching samples! Our state of the art colour lab houses only the best machinery to achieve this unique bespoke service. With an extensive range in unfinished stock of European prime and rustic oak, and 100% fumed oak, we are able to offer you a prompt, **FREE**, sample matching service and final production time.

WFA's bespoke service aims to ensure that you get the wood flooring match required for your customer, a service yet to be rivalled, the process takes **10 working days** as we use the same extensive weighted method of application to ensure precise and consistent application of the oils and stains.

Our wall has an impressive display of over 850 colours from the thousands produced to date. They represent extremely well the array of colours and textures achievable in our finishing department.




STAIRS & MOULDINGS


Our Bespoke options are not limited to the production of beautiful floors. We regularly produce hardwood mouldings and stair components to match our floors eliminating mismatched and awkward transition points.



Mitre Lock Joint Stair Components



Call us to enquire about how we can produce stair components using the same planks as the floor!



See pages 61 - 65 for mouldings & stair nosings.




FOLLOW US ON  /wfa_hq  /wood-floors-and-accessories-limited



MAGNITUDE

Sustainable Magnetic Wood Flooring



Magnitude Sustainable Magnetic Wood Flooring powered by IOBAC combines our high quality Stability FSC engineered oak with a high strength magnetic film to provide a sustainable, circular, cost saving, adhesive free, contamination free and durable real wood floor installation.

The combination of the tongue and groove planks and high strength magnetic film create a two dimensional hold vertically and horizontally to a magnetically receptive raised access floor.



Magnitude Sustainable Wood Flooring contributes towards sustainability assessment certifications such as **BREEAM**, **SKA** and **LEED** by earning credits for material reuse.



IMPROVED CIRCULARITY

Flooring easily reused, avoiding additional embodied carbon.



DESIGNED FOR DISASSEMBLY

Maximises economic value and minimises environmental impacts through reuse, repair, remanufacture and recycling.



ASSET PROTECTION

Sub-floor undamaged, eliminating costly remedial or replacement work.



MAGNITUDE

Sustainable Magnetic Wood Flooring



STRONG, YET REVERSIBLE HOLD

- Powerful 2-dimensional hold.
- Tongue-and-groove mechanism locks planks together horizontally. A strong magnetic grip holds vertically to a magnetically receptive metal raised access floor.

SUSTAINABLE AND CIRCULAR – ADHESIVE FREE INSTALLATION

- Maximises economic value and minimises environmental impact.
- Wood flooring is sustainable and finishes are plant and water based.
 - Easy to deconstruct, reuse, repurpose and recycle.
- Flooring can be reused, significantly reducing landfill waste and avoiding additional embedded carbon from new materials.
 - No sub-floor contamination – no messy, expensive remediation work.
 - The magnetic film is PVC, phthalate, plasticiser and VOC free.

IMPROVED HEALTH & WELLBEING

- VOC's associated with wet adhesive installation methods are eliminated for improved Indoor Air Quality.
 - Magnetic backing does not interfere with hearing loops, Wi-Fi or electronic devices.

FAST INSTALLATION

- Reduced labour time and cost – quick and clean to install and uplift.
- Minimal preparation required – no sealants, primers or plywood bases needed.
- The T&G planks require no additional pinning or fixing (providing installed to a level raised access floor).
 - Reduced maintenance costs.
 - Ease of access maintained.

DESIGN FLEXIBILITY

- 20 core products or choose from our bespoke range with 1000s of combinations of colours, textures, sizes and finishes available
 - Manufactured in the UK by WFA.




Bespoke Core Range & Formats



Available in Stability Plank, Herringbone and Chevron format the design possibilities are endless with 1000s of combinations of colours, textures, sizes and finishes available.

Where can it be used?

Commercial, Workspace, or any installation with a metal raised access floor.





Subfloor Requirements

The Subfloor **MUST** be to British Standard SR1 tolerance: maximum 3mm over a 2m straight edge.

Lipping between access panels must not be greater than 0.5mm

The panels must be sound, dry, clean, free from contaminants and degreased if required prior to installing Magnitude Sustainable Magnetic Wood Flooring.

Removal and Replacement of Planks

Where access is required the boards can be adapted on site and there are two ways to remove the boards. Using a suction cup tool, or if the surface finish has a heavier texture the installation of flush ring pull handles is advised.

Please refer to our installation guidelines for full details on subfloor requirements and the removal of planks.





STEP
1

CHOOSE YOUR
DESIGN

16-21

STEP
2

CHOOSE YOUR
DIMENSIONS

17-25

497

512

638

808

902

903

904

911

920

922

BESPOKE WOOD FLOORS

STEP

3

CHOOSE YOUR
GRADE

14-15 and 22-23

STEP

4

CHOOSE YOUR
FINISH

26-41

929

939

941

1976

2830

3630

3767

3796

4450

4711

STABILITY PRIME GRADE

The grading of wood flooring contributes to its unique appearance, and generally manufacturers will grade taking into account a variety of factors; including the size of knots, the amount of sap present and colour variations.



GENERAL	Prime is a clear grade with a mixture of natural grain.
KNOTS	Possible pin knots up to ≤ 10 mm diameter and filled knots up to ≤ 5 mm diameter.
SAPWOOD	Minimal edge and core sapwood, more apparent in smoked finishes.
FILLED DEFECTS	Allowed, coloured filler to complement the wood.
COLOUR	Natural variation allowed.
GRAIN	Mixture of natural grain.

STABILITY RUSTIC GRADE

Whether the desired floor is to have a traditional, uniform look or one that is full of character, impress your customers with our Stability engineered European Oak PRIME or RUSTIC grade bespoke floors knowing that by choosing this product, they are supporting responsible management of the world's forests. We ensure that they have been checked at every stage of processing *"from the forest to the shelf"*.



GENERAL	Rustic grade has a good mixture of natural grain and plentiful knots.
KNOTS	Healthy sound knots up to 70mm dia, dead knots up to 40mm dia and firmly filled holes up to 35mm.
SAPWOOD	Minimal edge and core sapwood, more apparent in smoked finishes.
FILLED DEFECTS	Allowed, coloured filler to complement the wood.
CRACKS	Allowed up to 150mm long.
COLOUR	Natural variation allowed.
GRAIN	Mixture of natural grain and knots.



Grading rules may vary from country to country and manufacturer to manufacturer.
Please check at time of order for a certain product/range.

STABILITY PLANK, HERRINGBONE & CHEVRON

FSC 100% European Oak Stability Plank, Herringbone and Chevron designs can be finished in all the bespoke colour options shown within this guide.

Profile: T&G, Planks ends matched 2 sided micro bevelled, Herringbone[‡] and Chevron 4 sided micro bevelled

Thickness: 10/4, 15/4 and 20/6mm

Finish: UV oiled Matt and Satin

Installation: Secret nailed / glued / floated*

Dimensions: Opposite page

[‡] Also available square edged see the size options shown on the right.
* This depends on the design of the floor, see data sheet for clarification.






PLANK



HERRINGBONE



CHEVRON



Please see below dimensions of our Stability plank, herringbone and chevron.

Plank

140 / 180 / 220 / 240 x 15/4mm in Random Lengths 600 - 2200mm

140 / 180 / 220 / 240 / 260 / 300 x 20/6mm in Random Lengths 1400 - 2400mm

Alternative widths and sizes are available on enquiry.

Herringbone Blocks

490 x 70 x 10/4mm

350 x 70 x 15/4mm[‡]

350 x 70 x 20/5mm[‡]

500 x 90 x 10/4mm

500 x 90 x 15/4mm

500 x 90 x 20/6mm

600 x 120 x 15/4mm[^]

600 x 120 x 20/6mm[^]

Chevron - 45 Degree Angle

500 x 90 x 10/4mm^Ø

500 x 90 x 15/4mm[^]

500 x 90 x 20/6mm[^]

600 x 120 x 15/4mm[^]

600 x 120 x 20/6mm[^]

[‡] Square Edged - These sizes are only available from stock in our aged & distressed finishes/unfinished.

[^] Available to order 6-8 weeks.

^Ø 500 x 90 x 10mm are held in stock all other chevrons are available to order. NOTE this thickness can not be aged and distressed or bandsawn.



BF941

STABILITY DESIGN

FSC 100% European Oak Stability Designs can be finished in all bespoke colour range options.*

Profile: Grooved to all sides - supplied with false tongues

Thickness: 15/4 and 20/6mm

Finish: UV oiled Matt and Satin

Installation: Glued

Dimensions: Cube 200mm

Mansion Weave 200mm wide centre 90mm wide weave

Hexagon 200mm wide

Continuous Versailles 350 x 70mm wide weave & 140mm² squares

* Does not include Bandsawn finishing.



CUBE




MANSION WEAVE







HEXAGON



CONTINUOUS VERSAILLES





Mansion Weave BF911

STABILITY DESIGN PANELS

FSC 100% European Oak Stability Design Panels can be finished in all bespoke colour range options.*

Profile: Grooved to all sides - supplied with false tongues

Thickness: 15/4 and 20/6mm

Finish: UV oiled Matt and Satin / Finished by hand - *dependent on the panel size*

Installation: Glued

Dimensions: 580 x 580 / 800 x 800 / 1000 x 1000mm - *alternative sizes available on request*

* Does not include Bandsawn finishing.



Design 4



Design 1



Design 2



Design 3



Design 5



Design 6



Design 7



Design 8



Design 9



Design 10

ELEGANCE SELECT GRADE

The grading of wood flooring contributes to its unique appearance, and generally manufacturers will grade taking into account a variety of factors; including the size of knots, the amount of sap present and colour variations.



GENERAL	Select is a clean grade with a mixture of natural grain and minimal knots.
KNOTS	Sound knots up to ≤ 10 mm diameter and filled knots up to ≤ 5 mm diameter.
SAPWOOD	Minimal edge allowed, more apparent in smoked finishes.
FILLED DEFECTS	Allowed, coloured filler to complement the wood.
COLOUR	Natural variation allowed.
GRAIN	Mixture of natural grain.

ELEGANCE RUSTIC GRADE

Whether the desired floor is to have a traditional, uniform look or one that is full of character, impress your customers with our Elegance engineered European Oak SELECT or RUSTIC grade bespoke floors knowing that by choosing this product, they are supporting responsible management of the world's forests. We ensure that they have been checked at every stage of processing *"from the forest to the shelf"*.



GENERAL	Rustic grade has a good mixture of natural grain and plentiful knots.
KNOTS	Healthy sound knots up to 40mm diameter and firmly filled knots up to 30mm.
SAPWOOD	Sapwood, more apparent in smoked finishes.
FILLED DEFECTS	Allowed, coloured filler to complement the wood.
CRACKS	Allowed up to 150mm long.
COLOUR	Natural variation allowed.
GRAIN	Mixture of natural grain and knots.



Grading rules may vary from country to country and manufacturer to manufacturer.
Please check at time of order for a certain product/range.

ELEGANCE PLANK, HERRINGBONE & CHEVRON

FSC 100% European Oak Elegance Plank, Herringbone and Chevron designs can be finished in all the bespoke colour options shown within this guide.^

Profile: T&G, Planks ends matched 2 sided micro bevelled and Herringbone[‡] and Chevron 4 sided micro bevelled

Thickness: 15/3 and 15/4mm

Finish: UV oiled Matt and Satin

Installation: Secret nailed / glued / floated*

Dimensions: Opposite page

[‡] Also available square edged see the size options shown on the right.

* This depends on the design of the floor, see data sheet for clarification.

^ Does not include Fumed products.



PLANK



HERRINGBONE



CHEVRON

Please see below dimensions of our Elegance plank, herringbone and chevron.

Plank

190 x 15/3mm in Lengths of 1900mm (up to 25% split boards per pack from 500mm)

260 x 15/4mm in Lengths of 2200mm (up to 25% split boards per pack from 500mm)

Herringbone Blocks

280 x 70 x 15/4mm[‡]

350 x 70 x 15/4mm[‡]

280 x 70 x 20/6mm[‡]

350 x 70 x 20/6mm[‡]

500 x 100 x 15/3mm

600 x 125 x 15/3mm

[‡] Square Edged - These sizes are only available from stock in our aged & distressed finishes/unfinished.

Chevron - 45 Degree Angle

475 x 125 x 15/3mm






Bespoke Finish

TEXTURES

Aged & Distressed Each piece of flooring is tumbled to achieve an authentic aged look to the edges, corners and surface of the timber.

Bandsawn Our machine run bandsawn surface has saw marks across the face at an angle of 90° from the length of the board.






Eased Edge Each piece of flooring is 'hand eased' for that truly bespoke visual effect when installed.



SMOKING AND FUMING

Our fumed and smoked colours are achieved through a process which reacts with the natural tannins in the oak and sapwood will be made more apparent during this treatment. Although we use controlled processes when smoking in-house, **variation in colour will occur** and the final colours are dictated by nature and not by using pigmented stains, this same principle applies for our supplied fumed oak.

The main difference between the two techniques; The **Smoking** process penetrates the veneer surface by 0.5 - 2mm in depth whilst the image shown here demonstrates that our supplied **Fumed** oak penetrates the entire veneer layer.



**Smoked Finishes
– Important Note –**



Smoked finishing treatments will emphasise natural colour variations in the timber. In particular, sapwood can and will appear more prominent.



BF3630 Soft White UV Oil Satin



BF4711 Taupe UV Oil Matt



BF3767 Grey UV Oil Matt



BF3796 Pebble White UV Oil Satin






BF902 White UV Oil Satin



BF903 Intense White UV Oil Satin



BF497 Medium Smoked White UV Oil Matt 



BF904 Intense Black UV Oil Satin





 Colour variation will occur.





BF922 Light Smoked White UV Oil Satin 



BF929 Medium Smoked White UV Oil Satin 



BF638 Medium Smoked UV Oil Satin 



BF941 Dark Smoked UV Oil Satin 



Pages 26 - 41 showcase just twenty of our finishes, a few of our favourites to whet your appetite;


with endless options of textures, colours and finishes available.

The majority of these finishes are available in the designs and dimensions shown on pages 14 to 25.

BF929




◆ Colour variation will occur.



BF2830 Bespoke Oil Black in the Grain UV Oil Satin



BF4450 Pebble Grey UV Oil Satin



BF808 Fossil Grey UV Oil Satin



BF939 Dark Grey UV Oil Satin






BF512 Woodlook UV Oil Matt



BF911 UV Oil Satin



BF1976 Medium Smoked Bespoke UV Oil Satin 



BF920 UV Oil Satin (on 100% Fumed) 



 Colour variation will occur.

Herringbone

Our classic herringbone blocks are finished to order from stock in our bespoke range of 20 finishes to complement our Plank collection.

Stability 15/4 x 90 x 500 and 20/6 x 90 x 500

Elegance 15/3 x 100 x 500 and 15/3 x 125 x 600

See pages 14-15 and 22-23 for grading details.

Page 17 none stock sizes 6 - 8 weeks. Alternatively we can produce herringbone in any size and finish to suit your project, please enquire for further details.



BF911




BF3630



BF512



BF3767



BF3796




BF911



BF902



BF922 



BF929 



BF808




BF939



BF4450




BF497 



BF4711



BF903




BF904




BF2830




BF1976 




BF638 



BF941 



BF920 



 Colour variation will occur.

Chevron

Our timeless chevrons are produced to order from stock in our bespoke range of 20 finishes to complement our Plank collection.

Stability 10/4 x 90 x 500

Elegance 15/3 x 125 x 475

See pages 14-15 and 22-23 for grading details.

Page 17 none stock sizes 6 - 8 weeks. Alternatively we can produce chevrons in any size and finish to suit your project, please enquire for further details.



Bespoke Finish




BF3630



BF512



BF3767



BF3796



BF911



BF902



BF922



BF929



BF808




BF939



BF4450




BF497 




BF4711



BF903





BF904




BF2830




BF1976 




BF638 



BF941 



BF920 



 Colour variation will occur.

Mansion Weave


A complex parquet design similar to the weave pattern used in traditional textile production.

Sections of polygons and small trapezoids that taper at one end with the grain running in three different directions this design is produced to order in our bespoke range of 20 finishes.

Stability 90mm weave and 200mm centres.



Bespoke Finish



BF3630



BF512



BF3767



BF3796



BF911



BF902



BF922



BF929



BF808




BF939



BF4450



BF497 



BF4711



BF903




BF904



BF2830



BF1976 




BF638 



BF941 



BF920 



 Colour variation will occur.

Continuous Versailles


This elegant flooring option can be traced back to the 16th century when it first became popular in the homes of the wealthy.

Produced to order in our bespoke range of 20 finishes.

Stability 350 x 70mm weave and 140mm² centres.




Bespoke Finish




BF3630



BF512



BF3767



BF3796




BF911



BF902



BF922 



BF929 




BF808




BF939



BF4450



BF497 



BF4711



BF903




BF904




BF2830




BF1976 




BF638 



BF941 



BF920 



 Colour variation will occur.



BF925 Light Smoked White UV Oil Satin 




BF932 Dark Smoked White UV Oil Satin 



BF931 Medium Smoked UV Oil Satin 



BF943 Dark Smoked UV Oil Satin 





BF3383 Amber UV Oil Satin



BF3384 Chestnut UV Oil Satin



Distinctive **aged and distressed** surface texture achieved through tumbling the products on-site at WFA HQ.



BF943

Elegance Bespoke

6 Colour Range of Plank, Herringbone and Chevron in Select or Rustic Grade European Oak.

Plank sizes

15/3 x 190 x 1900mm / 15/4 x 260 x 2200mm

- up to 25% split boards per pack permitted.

Herringbone sizes

15/3 x 100 x 500mm / 15/3 x 125 x 600mm

Chevron size

15/3 x 125 x 475mm

- overall length 600mm

All are finished in either Matt or Satin UV Oil



Bespoke Finishing

The above products are also available with bespoke colour matching or selected from 19 of the finishes in the Core Collection.*

BF4377



BF4373



BF4374



BF4375



BF4376



BF4377



BF4378



BF4375



BF4376



BF4377



BF4378



Elegance Bespoke

6 Colour Range of Plank, Herringbone and Chevron in Select or Rustic Grade European Oak.

Plank sizes

15/3 x 190 x 1900mm / 15/4 x 260 x 2200mm

- up to 25% split boards per pack permitted.

Herringbone sizes



15/3 x 100 x 500mm / 15/3 x 125 x 600mm

Chevron size

15/3 x 125 x 475mm

- overall length 600mm

All are finished in either Matt or Satin UV Oil



Bespoke Finishing


The above products are also available with bespoke colour matching or selected from 19 of the finishes in the Core Collection.*



BF4375

BF4373

BF4374



BF4375




BF4376



BF43747



BF4378



The Tate Collection

Traditionally the saw marks left behind when it skimmed the surface gave band sawn flooring its name. Today machinery recreates this textured surface beautifully - **6 Colour Range.**

Stability 15/4 x 140 / 180 / 220mm or
20/6 x 140 / 180 / 220 / 260mm in random lengths.

BF4686 has the most natural oak finish in the range and uses a RAW UV Oil.

The remaining seven are finished in a Matt UV Oil.



BF4689 




BF4686





BF4687




BF4688 




BF4689 



BF4690 



BF4691 



 Colour variation will occur.

Historic Collection

Crafted using alternative drying techniques, this collection enhances the natural beauty of oak. The process brings out pronounced, shrunken knots, deep splits, and visible planer marks - celebrating the wood's authentic character grade and timeless charm - **6 Colour Range.**

Plank size 15/3 x 220 x 500 - 2200mm.

All are finished in a Matt UV Oil.

Historic Character Grade

KNOTS Healthy sound knots up to 80mm diameter and firmly filled holes up to 50mm.

SAPWOOD Allowed.

FILLED DEFECTS Allowed.

FILLED TYPE Coloured filler to complement the wood.

CRACKS Allowed, more apparent in smoked finishes.

TEXTURE Pronounced/shrunken knots and splits, visible planer marks and heavy brushed.

COLOUR Natural variation allowed.

GRAIN A superb mixture of natural grain and untold knots.



BF5154



BF5153



BF5154




BF5155 



BF5156



BF5157 



BF5158



 Colour variation will occur.

London Collection

6 Colour Range of 10/4mm Stability prime and rustic European Oak.

Herringbone sizes 500 x 90mm or 490 x 70mm.

Chevron size 500 x 90mm.

All are finished in a Satin UV Oil.

Also available in 10/4mm is a natural selection of Plank, Herringbone and Chevron, all in a UV Oil or Lacquered finish. Please ask for details on these project options.




BF2793



BF2755




BF2760 






BF2763




BF2793



BF2812 



BF2757



 Colour variation will occur.

Time Worn

9 Colour Range of European Oak
Tumbled Herringbone - **Solid Parquet**
in prime and rustic grade or **Engineered
Blocks** in select and rustic grade.

These beautiful blocks provide an authentic aged appearance. With subtle surface damage and slightly rounded corners, each piece has its own character to provide a great alternative to reclaimed blocks.

Stability Solid Parquet Battens - 10mm
60 x 300mm / 70 x 280mm / 170 x 350mm

Elegance Engineered Blocks - 15/4mm & 20/6mm
70 x 280mm / 70 x 350mm

All are finished in either Matt or Satin UV Oil.



BF2710




BF2705



BF2705




BF2706 





BF2707




BF2714 



BF2708 



BF2709 



BF3786



BF3787



 Colour variation will occur.

Genuine Reclaimed

4 Colour Range of Genuine Reclaimed Products.

This Collection is produced from 60-100 year old beams reclaimed from old buildings in France and Germany, finished products are Satin UV Oiled.


Planks 20.5/5.5 x 220 x 600 - 2400mm - *length subject to current stock.*

Herringbone 20.5/5.5 x 500 x 100mm.





Chevron 17.5/5.5 x 600 x 100mm.



BF2511





†Please note that ALL woodworm is no longer alive.



Unfinished

BF2511

BF2512 

BF2513 



 Colour variation will occur.

End Grain

Unfinished solid End Grain floors are chosen for their unique character and grain detail.

All end grain is available in squares or rectangles, square edged or as a tumbled cobbled block. They are supplied unfinished and require sanding/finishing on site, after installation.

Supplied in 18mm thickness as standard with 10mm to 50mm also available.



Photography credit Stevie Campbell. Designer credit Pattern Haus.

Pine



Oak End Grain - shown with a clear oil



Fumed Oak End Grain - shown with a clear oil



Pine End Grain - shown with a clear oil



Spruce End Grain - shown with a clear oil




Larch End Grain - shown with a clear oil



Oak Cobbles - shown with a white oil

METAL INLAYS

As a standard solid inlays are produced 3mm deep x 10mm face width *
- alternative sizes are available on request.



Aluminium
Satin



Aluminium
Polished
(Mirrored)



Black
Anodised



Brass
Satin




Brass
Polished
(Mirrored)




Brass
Antique



Bronze
Antique



BF1976 - polished brass inlay



BF808 - satin brass inlay




BF497 - polished aluminium inlay

* Black Anodised is 9mm wide

STAIRS & MOULDINGS

See pages 64 & 65 for sizes and options available.



BF1244



Bespoke oil










Bespoke oil



BF1941

FOLLOW US ON  /wfa_hq  /wood-floors-and-accessories-limited

Hardwood Mouldings - In Chosen Bespoke Finish		Size
Quadrant		19mm
Scotia		16mm 19mm
Flat Bead		25mm 40mm
L Section		14mm 20mm
T Section		14mm 20mm
Reducer		14mm 20mm
Ramp		14mm 20mm

Hardwood Mouldings - In Chosen Bespoke Finish		Size	
<p>Full Round Stair Nosing</p>			<p>For 10mm Flooring</p> <p>For 14/15mm Flooring</p> <p>For 20mm Flooring</p> <p>For 20mm Flooring 100% Fumed Oak option</p>
<p>Square Edge Stair Nosing</p>			<p>For 14/15mm Flooring</p> <p>For 20mm Flooring</p> <p>NOTE Both our nosing options are rebated for our Bespoke 15/20mm flooring.</p>
<p>All our hardwood mouldings are available in either 960 or 270mm lengths</p>			
<p>16mm Dowelled Radiator Pipe Collars 15mm in depth</p>		<p>Deep Ferrules 15mm</p>	
<p>16mm Snap-able Radiator Pipe Collars - 4mm in depth</p>		<p>Slim Line Ferrules 4mm</p>	



BF1274



CASE STUDIES

WFA is extremely proud of each and every project that we are involved with – ranging from a prestigious installation at the **TATE** in London to small but stylish rooms in residential properties.

Over the years we have built up excellent relationships with clients and trade partners throughout the United Kingdom and beyond. We will scour the globe to source the finest wood and have invested significantly in the latest technology to provide top quality and bespoke products. We've been involved in thousands of wood flooring installations and place a great emphasis on providing excellent service.

Customers regularly turn to us for advice and inspiration.



Project: Tate Modern – London

The iconic Tate Gallery first opened its doors in 1897 and is now known as one of the major galleries of modern and contemporary art in the world.

During the recent refurbishment, we were delighted to work with Mace and our client, Loughton Contracts plc, to supply the finest quality solid oak flooring.

Working closely with the architect and client, we produced samples of FSC-certified, European oak, in line with the Tate's commitment to the environment, in a Natural and Fumed Prime Grade with a Bandsawn texture.

The surface of the Natural Oak was left untreated to blend with the original floors in the building. This is an unusual approach for a commercial floor in Great Britain, but has become a well-known and sought after design.

The high-traffic restaurant areas used fumed oak finished with a bespoke UV oil to provide protection.

Product: FSC 100% Solid European Oak Prime and Prime Fumed

Finish: Bandsawn, Unfinished & Bespoke UV Oil

Quantity: 9500m²





Project: Red Bull London HQ

The remarkable team at Red Bull required flexible and connected workspaces in their new London HQ, to truly reflect the energetic vibrancy the brand is known for.

Our solid European Oak Rustic planks with a tumbled surface in a smoked and oiled finish were specified to complement the refurbishment of the original Grade I listed building.

With exposed brickwork and an industrial feel our product worked well with the design brief. Being tumbled and distressed is a practical finish for a very busy office!

Product: FSC 100% Solid European Oak Rustic

Finish: Tumbled, Distressed, Smoked & Bespoke UV Oil

Quantity: 1500m²





Project: Innocent Smoothies London HQ

WFA is extremely proud to have sourced and provided the wood flooring for the famous Innocent Smoothies brand.


Voted one of the coolest office spaces in London, at "Fruit Towers" sustainability is high on the agenda. Sourcing FSC-certified materials was vital for a business which has shown a pioneering depth of commitment to the environment since 2003.

We worked closely with the architect and their client to produce European Oak Rustic engineered planks. The client then chose a tumbled and distressed look, with a smoked and oiled finish. Perfect for a working space with such high foot traffic.

Product: FSC 100% Stability Engineered European Oak Rustic

Finish: Tumbled, Distressed, Smoked & Bespoke UV Oil

Quantity: 800m²





Project: Google London HQ

The extraordinary Google HQ in the heart of London's Kings Cross is set to be the first wholly owned and designed Google campus, outside the USA.

Following the design brief from Google's architects and our client we supplied our European Oak, Rustic grade, solid strip flooring for the main office areas.

In line with Google's commitment to operating the business in an environmentally sustainable way, FSC-certified materials were specified. The floors were fitted unfinished and the flooring contractor site-finished the floor, to the approved sample, using Osmo hardwax oil.

Product: FSC 100% Solid European Oak Parquet Strip Rustic

Finish: Site Applied Bespoke Stain and Osmo Hardwax Oil

Quantity: 1200m²





Project: Devere Gardens

This Luxury development of 97 stunning apartments is situated in the Royal Borough of Kensington and Chelsea and was designed by award winning architects David Chipperfield.

De Vere Gardens dates back to the 1870s and is now a Conservation Area which faces Kensington Palace.

With such a high specification development, only the most select European Quarter Sawn Oak was used to produce the beautiful parquet block floors.

Product: FSC 100% Stability Engineered European Oak Herringbone Blocks Quarter Sawn

Finish: Site Applied Lacquer

Quantity: 9800m²





Project: Private Residence, London, W10

WFA worked closely with a New York based architect and our client AJB Wood Flooring on this installation at a private residence in London. We created a unique distressed surface, combining our tumbled, brushed and bandsawn textures in a bespoke finish to compliment the light, contemporary interior scheme.

They chose a mix of widths from our Stability engineered flooring range in Quarter Sawn and Prime FSC-certified Oak. We also produced matching stair treads and risers for the architect designed, bespoke curved staircase.

Product: Stability Engineered Planks & Staircase – FSC 100% European Oak Prime and Quarter Sawn

Finish: Bespoke Texture & UV Oil

Quantity: 380m²





Project: Private Residence, London, NW3

We worked closely with our client One Flooring on this project located in the desirable Belsize Village, London.

The name Belsize Village was an invention of mid-Victorian developers. Daniel Tidey was the builder who constructed the large stucco villas in Belsize Park that gave the area its distinctive character and this property has been refurbished with a very keen eye to detail.

Such a project used only the highest specification in grade of floors, prime, in two designs, the beautiful Mansion Weave and Herringbone Blocks. Each in a sympathetic bespoke UV oil finish to the style of the newly decorated interior.

Product: Stability Engineered Design Mansion Weave & Herringbone – FSC 100% European Oak Prime

Finish: Bespoke UV Oil Finishes

Quantity: Mansion Weave 47m² / Herringbone 88m²





Project: The Mill – London

The Mill is an Academy Award Winning, Visual FX Studio, who recently moved into their new Fitzrovia Head Quarters.

Working with our client, Naturally Wood Floors, we created a mixture of various bespoke textures and finishes to transform the general office areas, reception and roof top bar, The Loft.

London MD Darren O'Kelly's aim was clear: "We believe that great work happens when the right people are put together in an engaging and inspirational space and I think we've achieved that at Windmill Street."

Product: FSC 100% Stability Engineered European Oak Planks Rustic

Finish: Various Textures and Finishes

Quantity: 3500m²





Project: Palladio House

Valued at £35m, The Palladio Residence was one of the most expensive homes sold in Britain in 2008! This beautiful house in North London was designed by Bill Bennette Design and Royal architect William Bertram.


The property takes its name from Andrea Palladio, forefather of the Palladian Architecture movement, of which it is an outstanding modern day example.

Some of the features include a nightclub, a cinema and a subterranean swimming pool, decorated in gold plated mosaic! Working closely on the specification with Bill and his team, we produced our 9mm bespoke parquet flooring in a complex series of designs and wood species, to complement each room and interior.

Product: 9mm Parquet Flooring in Various Designs and Wood Species

Finish: Site Applied Lacquer

Quantity: 1500m²





Project: Private Residence

We worked closely with our client Planet Flooring on this project - during which a number of bespoke samples were produced for client approval.

We then produced more than 300m² of matching planks and herringbone blocks, in the chosen bespoke UV oil, making it very versatile and adding interest to the design, which flowed through each room; a beautiful floor that really suits the lovely family property.

Product: Stability Engineered Design Blocks & Planks – FSC 100% European Oak Rustic

Finish: Bespoke UV Oil

Quantity: 310m²





Project: Private Residence, Buckinghamshire

WFA took great pleasure in working with Lordrite and the developer EAB Homes on this project.

Producing more than 130m² of planks and herringbone blocks from our Stability Planks and Stability Design range in FSC-certified European Oak.

It was finished by dark smoking the pieces first and then adding an extra coat of black UV oil giving a feeling of dramatic luxury to this stunning property.

Product: Stability Engineered Design Blocks & Planks – FSC 100% European Oak Rustic

Finish: BF1733

Quantity: 130m²





Project: Commercial Premises – London, SW19

Mansion Weave – the beautiful, traditional continuous flow pattern parquet floor, which requires complex precision cutting to achieve stunning results.


It dates back to 17th century French Chateaux and Palaces, where aristocrats chose it, following the designs favoured by Louis XIV.

After an initial sample match, WFA produced a beautiful order of Mansion Weave from our Stability Design engineered flooring range in a bespoke finish.

Product: Stability Engineered Design Mansion Weave – FSC 100% European Oak Prime

Finish: Bespoke Finish

Quantity: 60m²





Project: Private Residence, Hertfordshire

Working closely with our client and their interior designer we produced these bespoke diamond parquet panels in European Oak Quarter Sawn which was Thermo treated to change its natural colour to this rich deep dark brown tone. The panels and complimenting planks were produced in 9mm solid parquet, which was installed in a traditional method then site sanded and finished with hardwax oil.

Product 1: Bespoke Parquet Diamond Panels – European Quartersawn Oak Thermo Treated

Product 2: Parquet Strip – European Quartersawn Oak Thermo Treated

Finish: Oiled on site

Quantity: 215m²





Project: Private Residence, Epping

This exquisite family home was refurbished to the highest level of detail by Essex based developers DJ Hunt, with our floors specified and installed by Naturally Wood Floors.

Our FSC-certified Stability Oak Planks in distressed, smoked and white oiled finishes were chosen for the kitchen, family room and bathroom and tumbled and smoked traditional parquet blocks for the hallway and dining room.

Product 1: FSC 100% Stability Engineered Oak Planks Rustic

Finish: Bespoke Finishes

Quantity: 106m²

Product 2: Parquet Battens – Tumbled & Smoked

Finish: Oiled on site

Quantity: 50m²





Project: Lolo Restaurant, London

Premium Grade Pine End Grain (88 x 68 x 18mm) featured in the stunning design of José Pizarro's new restaurant Lolo on Bermondsey Street.

The warm Mediterranean charm perfectly blends with the creative and vibrant spirit of Bermondsey Street, creating an inviting atmosphere that celebrates flavours, culture, and community.

Designed by Karen Taylor of Pattern Haus
Photography by Stevie Campbell

Product: PEFC Pine End Grain

Finish: Site finished

Quantity: 60m²





Project: Private Residence, Wimbledon


This stunning property had recently been purchased and underwent extensive renovations, involving a new basement dig and an extension to the rear of the property. The interior design team commissioned us to create a two tone grey wash finish on both the Plank and Mansion Weave floors. Over 200m² of our FSC-certified Prime Grade European oak was installed.

Product 1: FSC 100% Stability Engineered European Oak Planks Prime

Product 2: FSC 100% Stability Engineered European Oak Mansion Weave Prime

Finish: Bespoke UV Oil

Quantity: 152m² Planks & 64m² Mansion Weave





Project: Private Residence, London

This award winning interior designed home was refurbished to the highest level of detail, with our floors specified and installed by One Flooring.

Producing just over 95m² of our FSC-certified Stability Oak Herringbone in prime, in the popular standard oak with a white oiled finish, these blocks were chosen for the kitchen, family room, hallway and gym.

Product: FSC 100% Stability Oak Herringbone Prime

Finish: BF902

Quantity: 95m²





Project: Private Residence, Harrogate

The design team on this high-end private residence project selected our engineered Plank and Herringbone in FSC-certified Rustic Grade European Oak. The clear UV oil applied to the medium smoked pieces highlights the beautiful character rustic European oak is renowned for. These natural tones sit wonderfully alongside the bold, dark colours and patterns of the furniture across all of the various rooms; library, hall, dining area, snug and lounge.

Product 1: FSC 100% Stability Engineered European Oak Planks Rustic

Product 2: FSC 100% Stability Engineered European Oak Herringbone Rustic

Finish: Smoked with a Clear UV Oil

Quantity: 50m² Planks & 70m² Herringbone





Project: Private Residence, Cotswolds

This historically significant building underwent a complete renovation from top to bottom. It had been a stately home, boutique hotel and is now a private residence sitting in the beautiful Cotswolds countryside.

The owners chose a mix of Chevron and Plank formats, however they insisted that all the floors were the same colour to provide continuity through the property. After visiting our Design Room and Colour Lab they chose a colour that has been smoked and finished with a subtle coat of bespoke oil.

All produced in different thickness, to take account the different floor heights in the old property.

Product 1: FSC 100% Stability Engineered European Oak Planks Rustic

Product 2: FSC 100% Stability Engineered European Oak Chevron Rustic

Finish: BF1976

Quantity: Total 280m²





Project: Private Residence

This elegant property opted for stylish Chevron throughout the ground floor.


The Chevron flows from room to room without any breaks in the pattern, creating a more expansive feeling to the property.

Product: FSC 100% Stability Oak Chevron Rustic

Finish: BF938

Quantity: 70m²





CALL +44 (0)20 8501 6730

info@wfa.uk.net • www.wfa.uk.net

Wood Floors and Accessories • Spilsby Road • Harold Hill • Romford • Essex • RM3 8SB • United Kingdom

FOLLOW US ON  /wfa_hq  /wood-floors-and-accessories-limited

