



BESPOKE WOOD FLOORS
Est. 1999

CREATING EXCEPTIONAL BESPOKE FLOORS




BESPOKE WOOD FLOORS

Creating your exceptional wood floor

Bespoke Wood Floors offer a range of fully bespoke finished wood flooring in an extensive range of designs; styles to suit any interior.

With endless options available, you can choose the design, dimensions, grade, texture, colour and finish - all created just outside of London.

Combining the finest sustainable European Oak with the latest state of the art machinery, finishing products and highly skilled colour technicians, we will together create your bespoke wood floor.

We are certified to FSC® & PEFC standards.  This logo will identify the FSC-certified products throughout the brochure.

Please note that colour representation is not entirely accurate and the images are to be used for guidance purposes only.

Contents

THE BESPOKE WOOD FLOORS PROCESS.....	4	HISTORIC	26 - 27
THE LAB.....	5	LONDON	28 - 29
DESIGNS & DIMENSIONS	6 - 7	TIME WORN	30 - 31
GRADING	6 - 7	ELEGANCE BESPOKE	32 - 33
TEXTURES & TREATMENTS.....	8 - 9	GENUINE RECLAIMED	34 - 35
OUR COLLECTION	10 - 21	PANELS	36 - 37
AGED & DISTRESSED	22 - 23	END GRAIN	38 - 39
THE TATE	24 - 25	METAL INLAYS	40
		STAIR COMPONENTS & MOULDINGS	41


THE BESPOKE WOOD FLOORS PROCESS

Our fully certified Oak is **harvested from sustainable forests** throughout Europe.



Our simple **4 step process** allows you to create your own bespoke wood floor.

Once your selections are confirmed, our expert colour technicians begin handcrafting your wood floor in the UK. Using responsibly sourced European logs, every stage of the process is guided by our commitment to sustainability and quality, resulting in exceptional British craftsmanship and dependable delivery.



Start creating your bespoke floor by choosing your design from page 6 and 7.

Choose the dimensions available in your design from page 6 and 7.

Select, Prime and Rustic grades available. All details on grading and design options are shown on page 6 and 7. The majority of items in stock and ready for finishing.

To complete your bespoke floor choose your texture and treatment from page 8 and 9 and your colour finish from pages 10-13. We use UV cured hardwax oil as our final protective layer. Available in Extra Matt, Matt and Satin finishes.

We also offer a **bespoke colour matching service** to create your perfect floor, so please feel free to provide us with a sample you would like us to match.



THE LAB

Our state of the art Lab houses only the best machinery to achieve our **colour matching service**. With an extensive range of unfinished European stock in Prime, Rustic and 100% Fumed Oak we can offer you a prompt colour matching service and final production time.

The process of **sample matching** takes up to 10 working days as we use the same controlled weighted method of application to ensure precise and consistent application of the oils, stains and textures required.



STABILITY OAK

DESIGNS & DIMENSIONS



Plank

10/4	140mm (Random Lengths 600-2200mm) - SELECT GRADE ONLY
15/4	140 / 180 / 220 / 240mm (Random Lengths 600-2200mm)
20/6	140 / 180 / 220 / 240 / 260 / 300mm (Random Lengths 1400-2400mm)



Herringbone

10/4	70 x 490mm
15/4	20/5 70 x 350mm*
10/4	15/4 20/6 90 x 500mm
15/4	20/6 120 x 600mm



Chevron - 45 Degree Angle

10/4	15/4	20/6	90 x 500mm
15/4	20/6		120 x 600mm



Mansion Weave

15/4	20/6	200mm wide centres 90mm wide weave
------	------	---------------------------------------



Continuous Versailles

15/4	20/6	140 x 140mm centres 700 x 350mm weave
------	------	--





15/4mm* 20/5mm*
10/4mm 15/4mm 20/6mm



Alternative dimensions are available upon request in all Stability design options.

GRADING



PRIME	RUSTIC
 <p>GENERAL Clear grade with mixture of natural grain.</p> <p>KNOTS Possible pin knots < 10mm.</p> <p>SAPWOOD Minimal edge and core sapwood. ^</p> <p>FILLED DEFECTS Allowed.</p> <p>FILLER TYPE Coloured filler to complement the wood.</p> <p>CRACKS Not allowed.</p> <p>COLOUR Natural variation.</p> <p>GRAIN Mixture of natural grain.</p>	 <p>GENERAL Has a good mixture of natural grain and plentiful knots.</p> <p>KNOTS Healthy sound knots up to 70mm and firmly filled knots up to 35mm.</p> <p>SAPWOOD Minimal edge and core sapwood. ^</p> <p>FILLED DEFECTS Allowed.</p> <p>FILLER TYPE Coloured filler to complement the wood.</p> <p>CRACKS Allowed up to 150mm long.</p> <p>COLOUR Natural variation.</p> <p>GRAIN Mixture of natural grain and knots.</p>




SELECT	RUSTIC
 <p>GENERAL Clean grade with a mixture of natural grain and minimal knots.</p> <p>KNOTS Sound knots up to ≤ 10mm and filled knots up to ≤ 5mm diameter.</p> <p>SAPWOOD Minimal edge allowed. ^</p> <p>FILLED DEFECTS Allowed.</p> <p>FILLER TYPE Coloured filler to complement the wood.</p> <p>CRACKS Not allowed.</p> <p>COLOUR Natural variation.</p> <p>GRAIN Mixture of natural grain.</p>	 <p>GENERAL Has a good mixture of natural grain and plentiful knots.</p> <p>KNOTS Healthy sound knots up to 40mm and firmly filled knots up to 30mm.</p> <p>SAPWOOD Allowed. ^</p> <p>FILLED DEFECTS Allowed.</p> <p>FILLER TYPE Coloured filler to complement the wood.</p> <p>CRACKS Allowed up to 150mm long.</p> <p>COLOUR Natural variation.</p> <p>GRAIN Mixture of natural grain and knots.</p>

GRADING

ELEGANCE OAK


DESIGNS & DIMENSIONS



Plank


190mm (Lengths 1900mm)	15/3
260mm (Lengths 2200mm)	15/4

Plank - up to 25% split boards per pack from 500mm




Herringbone

70 x 280mm*	20/6	15/4
70 x 350mm*	20/6	15/4
100 x 500mm	15/3	
125 x 600mm	15/3	




Chevron - 45 Degree Angle

125 x 475mm	15/3
-------------	------



15/4mm* 20/6mm*
15/3mm 15/4mm




TEXTURES & TREATMENTS

Our **fumed and smoked** colours are achieved through a process which reacts with the natural tannins in the oak and although we use controlled processes, the final colours are dictated by nature and not by using pigmented stains.


The main difference between the two techniques; The Smoking process penetrates the veneer surface by 0.5 - 2mm in depth whilst the image shown above demonstrates that our Fumed oak penetrates the entire veneer layer.




Light Smoked
Surface smoked – tones of light to medium brown.



Medium Smoked
Surface smoked – tones of medium to dark brown.



Dark Smoked
Surface smoked – tones of dark brown.



Fumed
100% Fumed – tones of deep dark brown/black.

⚡ Please be aware that when you buy smoked or fumed oak flooring variation in colour is to be expected.

This is the beauty of having these floors. Smoked floors will naturally lighten and mellow with time.



Light Brushed
Removing the soft grain enhances the texture of the timber, shown above on unfinished oak.



Medium Brushed
Available in light, medium or heavy brushed.



Heavy Brushed



UV Oil Finish
UV cured hardwax oil. Available in Extra Matt, Matt and Satin finishes.

In addition to the usual wastage allowance, for a more consistent appearance in smoked and fumed finishes additional m² of the product should be ordered to be more selective on site. Alternatively for a more consistent colour we recommend a stained or bespoke oil option is chosen and not a smoked finish. Please discuss this and/or request a sample.

Endless combinations of surface treatments are available to create your bespoke wood floor.

TEXTURES & TREATMENTS



Aged & Distressed
Each piece of flooring is tumbled to achieve an authentic aged look to the edges and surface of the timber.



Eased Edge
Each piece of flooring is 'hand eased' for that truly bespoke visual effect when installed.



Bandsawn
Our bandsawn floors have traditional cut marks across the face of the floor and particularly suit retail and commercial projects.



OUR COLLECTIONS

- PLANK
- HERRINGBONE
- CHEVRON
- MANSION WEAVE
- CONTINUOUS
- VERSAILLES

Bespoke Wood Floors offer you the option of thickness, width and grade in your chosen finish.

Our core range of 20 finishes are a few of our favourites to whet your appetite; with endless options of textures, colours and finishes available.

Pages 10 to 13 show our core range colours in plank format. These finishes are available in the designs and dimensions shown on pages 6 & 7 and across pages 14 to 21.



Colour variation will occur.



BF3630



BF3767



BF3796



BF902



BF4711



BF903



BF497



BF904



BF920



Bespoke Finish



Colour variation will occur.



BF2830



BF4450



BF808



BF939



BF512



BF911



BF1976



BF922



BF929



BF638



BF941



BF638

Herringbone Collection

Our classic herringbone blocks are also available in our bespoke range of 20 finishes to complement our Plank collection.

Available from stock and finished to order are our 15x90x500mm and 20x90x500mm herringbone blocks in prime and rustic grades.

The alternative dimensions shown on page 6 are produced to order with delivery times confirmed at time of order.



BF911



BF941



BF2830



BF904



BF920



BF3630



BF903



BF512



BF911



BF638



BF4711



BF808



BF939



BF3767



BF3796



BF902



BF922



BF929



BF1976



BF4450



BF497

Chevron Collection

Our timeless chevrons are produced to order. Available in the dimensions shown on page 6 and in our bespoke range of 20 finishes.

Alternatively we can produce chevrons in any size to suit your project, please enquire for further details.



Bespoke Finish



Colour variation will occur.



BF3630



BF903



BF512



BF911



BF638



BF4711



BF808



BF939



BF3767



BF3796



BF902



BF922



BF929



BF1976



BF4450



BF497



BF941



BF2830



BF904



BF920

Continuous Versailles

This elegant flooring option can be traced back to the 16th century when it first became popular in the homes of the wealthy.

Produced to order in our bespoke range of 20 finishes.

Size 350 x 70mm weave and 140 x 140mm centres.



Bespoke Finish



BF941



BF2830



BF904



BF920



BF3630



BF903



BF512



BF911



BF638




BF4711




BF808



BF939



BF3767



BF3796



BF902



BF922




BF929



BF1976



BF4450



BF497

Colour variation will occur.

Mansion Weave

Similar to the traditional weave pattern used in textile production, Mansion Weave is a complex parquet design that features sections of polygons and small trapezoids that taper at one end with the grain running in three different directions.

Produced to order in our bespoke range of 20 finishes.
Size 90mm wide weave and 200mm wide centres.



Bespoke Finish



BF941



BF2830



BF904



BF920

Colour variation will occur.



BF3630



BF903



BF512



BF911



BF638



BF4711



BF808



BF939



BF3767



BF3796



BF902



BF922




BF929



BF1976



BF4450



BF497

Aged & Distressed

6 Colour Range of Plank and Herringbone in Prime and Rustic Grade European Oak.

Distinctive aged and distressed surface texture achieved through tumbling the products
 Other designs and colours are available on request
 All are finished in a Satin UV Oil

Planks

- 15/4 x 140 / 180 / 220 / 240mm
x Random Lengths 600-2200mm
- 20/6 x 140 / 180 / 220 / 260 / 300mm
x Random Lengths 1400-2400mm

Herringbone Blocks

- 15/4 x 90 x 500mm
- 15/4 x 120 x 600mm
- 20/5 x 70 x 350mm
- 20/6 x 90 x 500mm
- 20/6 x 120 x 600mm



BF925



BF932



BF931



BF943



BF3833



BF3834



BF925



BF932



BF931



BF943



BF3833



BF3834



Colour variation will occur.

The Tate

Traditionally the saw marks left behind when the logs were sawn gave Band Sawn flooring its name. Today machinery recreates this textured surface beautifully - **6 Colour Range.**

Plank size 140 / 180 / 220 x 15/4mm or 140 / 180 / 220 / 260 / 300 x 20/6 in random lengths

Other designs and colours are available on request

BF4686 has the most natural oak finish in the range and uses a RAW UV Oil
The remaining 7 are finished in a Matt UV Oil



Colour variation will occur.



BF4686



BF4687



BF4688



BF4689



BF4690



BF4691

Historic

Crafted using alternative drying techniques, this collection enhances the natural beauty of oak. The process brings out pronounced, shrunken knots, deep splits, and visible planer marks - celebrating the wood's authentic character and timeless charm - **6 Colour Range**.

Plank size 15/3 x 220 x 500 - 2200mm
 Other colours are available on request
 All are finished in a Matt UV Oil

Historic Character grade has a superb mixture of natural grain and untold knots.

KNOTS Healthy sound knots up to 80mm diameter and firmly filled holes up to 50mm.

SAPWOOD Allowed[^].

FILLED DEFECTS Allowed.

FILLED TYPE Coloured filler to complement the wood.

CRACKS Allowed.

TEXTURE Pronounced/shrunken knots and splits, visible planer marks and heavy brushed.

COLOUR Natural variation allowed.

GRAIN Mixture of natural grain and knots.



Colour variation will occur.



[^]NOTE This is more apparent in smoked finishes.

London

6 Colour Range of European Oak in Herringbone or Chevron.

Available in both Prime and Rustic grades.

Herringbone sizes 10/4 x 90 x 500mm or 10/4 x 70 x 490mm
Chevron size 10/4 x 90 x 500mm

All are finished in a Satin UV Oil

Also available in 10/4mm is a *natural* selection of Plank, Herringbone and Chevron, all in a UV Oil or Lacquered finish. Please ask for details on these options.



BF2763



BF2812



BF2757



BF2760



BF2755



BF2763



BF2793



Colour variation will occur.

Time Worn

9 Colour Range of European Oak Tumbled Herringbone - **Solid Parquet** in Prime and Rustic Grade or **Engineered Blocks** in Select and Rustic Grade

These beautiful blocks provide an authentic aged appearance. With subtle surface damage and slightly rounded corners, each piece has its own character to provide a great alternative to reclaimed blocks.

Solid Parquet Battens
 10 x 60 x 300mm
 10 x 70 x 280mm
 10 x 70 x 350mm

Engineered Blocks
 15/4 x 70 x 280mm
 20/6 x 70 x 280mm
 15/4 x 70 x 350mm
 20/6 x 70 x 350mm

All are finished in either Matt or Satin UV Oil.



Colour variation will occur.



BF2709



BF2705



BF2706



BF2710




BF2708



BF2705




BF2707



BF2714



BF3786



BF3787

NOTE The engineered option in this range is Elegance Oak.

ELEGANCE BESPOKE

6 Colour Range
of Plank and
Herringbone Select
and Rustic Grade
European Oak.

Plank size 15/3 x 190mm
in lengths of 1900mm -
*up to 25% split boards per pack
permitted from 500mm.*

Herringbone size
15/3 x 100 x 500mm
15/3 x 125 x 600mm

Chevron size
15/3 x 125 x 475mm
- overall length 600mm

All are finished in either
Matt or Satin UV Oil

Bespoke Finishing
The above products are also
available with bespoke colour
matching or selected from
19 of the finishes in the Core
Collection.*




BF4373




BF4374



BF4375



BF4376



BF4377



BF4378



BF4373



BF4374



BF4375



BF4376



BF4377



BF4378

*Excludes any fumed options.

Genuine Reclaimed

4 Colour Range of Genuine Reclaimed Products.

This Collection is produced from 60-100 year old beams reclaimed from old buildings in France and Germany, finished products are Satin UV Oiled.

Planks 20.5/5.5 x 220 x 600 - 2400mm - length subject to current stock
 Herringbone 20.5/5.5 x 500 x 100mm Chevron 17.5/5.5 x 600 x 100mm



Unfinished

BF2511



BF2512

BF2513

Colour variation will occur.

*Please note that ALL woodworm is no longer alive.

PANELS

Our European Oak panels are available either unfinished or pre-finished in a bespoke oil. Shown here with a clear oil coat, they are featured in 10 popular designs. Alternatively, custom patterns can be produced from your supplied drawings.

Panels are offered in a variety of sizes and thicknesses, with options for bevelled or square edges. They can also be aged and distressed, fumed, heavy brushed—or any combination thereof—offering a vast range of possibilities tailored to your specific needs.

15/4mm or 20/6mm

Sizes
580 x 580
800 x 800
1000 x 1000mm

All flooring is produced to order, delivery times to be confirmed at this time.



Design 1



Design 2



Design 3



Design 4



Design 5



Design 6



Design 7



Design 8



Design 9



Design 10



CARE TIP

To help care for your new wood floor we recommend using Osmo Wash and Care for regular cleaning and Osmo Maintenance Oil to refresh the surface.

We advise that you do not under any circumstance use a steam cleaner.

For more information please refer to our care and maintenance guide.



Bespoke Panel Design

End Grain

Unfinished solid End Grain floors are chosen for their unique character and grain detail.

All end grain is available in squares or rectangles, square edged or as a tumbled cobbled block. They are supplied unfinished and require sanding/finishing on site, after installation. Supplied in 18mm thickness as standard with 10mm to 50mm also available.



Oak End Grain - shown with a clear oil



Pine End Grain - shown with a clear oil



Spruce End Grain - shown with a clear oil



Fumed Oak End Grain - shown with a clear oil



Larch End Grain - shown with a clear oil



Oak Cobbles - shown with a white oil

METAL INLAYS

As a standard solid inlays are produced 3mm deep x 10mm face width *

Metal inlays in wood flooring are thin strips of metal – brass or aluminum – embedded into the surface of the wood. This technique brings a sophisticated, luxurious aesthetic while also adding structural definition and durability. Homeowners, designers, and architects are increasingly turning to metal inlays to create striking, personalised interiors that blend tradition with contemporary design.

- alternative sizes are available on request.

* Black Anodised is 9mm wide



Aluminium Satin

Aluminium Polished (Mirrored)



Black Anodised

Brass Satin

Brass Polished (Mirrored)

Brass Antique



Bronze Antique



STAIR COMPONENTS & MOULDINGS

Complete your flooring project with the perfect finishing touch, hand-finished bespoke hardwood mouldings and stair components. Designed to complement any installation, whether planks, herringbone, chevron, or more, these details bring a cohesive, refined look to every space.

Whether you've chosen a natural finish, a deep brushed grey, or a completely bespoke colour outside of the collections, our expert team can create complementing staircases, thresholds, trims, and more to complete the vision flawlessly.





BF922



BF904



BF1976



BF902



BESPOKE WOOD FLOORS
Est. 1999

T 020 8501 6730 E info@wfa.uk.net W wfa.uk.net
Spilspy Road, Harold Hill, Essex RM3 8SB

 [wfa_hq](https://www.instagram.com/wfa_hq)

