



BESPOKE WOOD FLOORS
Est. 1999

CREATING EXCEPTIONAL BESPOKE FLOORS



BESPOKE WOOD FLOORS

Creating your exceptional wood floor


Bespoke Wood Floors offer a range of fully bespoke finished wood flooring in an extensive range of designs; styles to suit any interior.

With endless options available, you can choose the design, dimensions, grade, texture, colour and finish - all created just outside of London.

Combining the finest sustainable European Oak with the latest state of the art machinery, finishing products and highly skilled colour technicians, we will together create your bespoke wood floor.

CONTENTS

THE BESPOKE WOOD FLOORS PROCESS.....	4	HISTORIC	38
THE LAB.....	7	LONDON	40
DESIGNS & DIMENSIONS	8 - 11	TIME WORN	42
GRADING	8 - 11	ELEGANCE BESPOKE	44
TEXTURES & TREATMENTS.....	12 - 14	GENUINE RECLAIMED	46
OUR COLLECTION.....	17 - 31	END GRAIN	48
AGED & DISTRESSED	34	PANELS	50
THE TATE	36	METAL INLAYS	52
		STAIR COMPONENTS & MOULDINGS	54 - 57

We are certified to FSC® & PEFC standards.  This logo will identify the FSC-certified products throughout the brochure.

Please note that colour representation is not entirely accurate and the images are to be used for guidance purposes only.



THE BESPOKE WOOD FLOORS PROCESS

Our fully certified Oak is **harvested from sustainable forests** throughout Europe.

Our simple **4 step process** allows you to create your own bespoke wood floor.

Once your selections are confirmed, our expert colour technicians begin handcrafting your wood floor in the UK. Using responsibly sourced European logs, every stage of the process is guided by our commitment to sustainability and quality, resulting in exceptional British craftsmanship and dependable delivery.

STEP
1

CHOOSE
YOUR
DESIGN

Start creating your bespoke floor by choosing your design from page 8-11.

STEP
2

CHOOSE
YOUR
DIMENSIONS

Choose the dimensions available in your design from page 8-11.

STEP
3

CHOOSE
YOUR
GRADE

Select, Prime and Rustic grades available. All details on grading and design options are shown on page 8-11.

The majority of items in stock and ready for finishing.

STEP
4

CHOOSE
YOUR
FINISH

To complete your bespoke floor choose your texture and treatment from page 12-14 and your colour finish from pages 18-22.

We use UV cured hardwax oil as our final protective layer.

Available in Extra Matt, Matt and Satin finishes.



The mark of responsible forestry



PEFC
PEFC/16-37-1407
Promoting Sustainable Forest Management
www.pefc.co.uk

Look for our FSC-certified products

We also offer a **BESPOKE COLOUR MATCHING SERVICE** to create your perfect floor, so please feel free to provide us with a sample you would like us to match.






THE LAB


Our state of the art Lab houses only the best machinery to achieve our **colour matching service**. With an extensive range of unfinished European stock in Prime, Rustic and 100% Fumed Oak we can offer you a prompt colour matching service and final production time.

The process of **sample matching** takes up to 10 working days as we use the same controlled weighted method of application to ensure precise and consistent application of the oils, stains and textures required.



STABILITY OAK

DESIGNS & DIMENSIONS




Plank

- 10/4 140mm (Random Lengths 600-2200mm) - **SELECT GRADE ONLY**
- 15/4 140 / 180 / 220 / 240mm (Random Lengths 600-2200mm)
- 20/6 140 / 180 / 220 / 240 / 260 / 300mm (Random Lengths 1400-2400mm)



Herringbone

- 10/4 70 x 490mm
- 15/4 20/5 70 x 350mm*
- 10/4 15/4 20/6 90 x 500mm
- 15/4 20/6 120 x 600mm



Chevron - 45 Degree Angle

- 10/4 15/4 20/6 90 x 500mm
- 15/4 20/6 120 x 600mm




Mansion Weave

- 15/4 20/6 200mm wide centres
90mm wide weave



Continuous Versailles

- 15/4 20/6 140 x 140mm centres
700 x 350mm weave




Alternative dimensions are available upon request in all Stability design options.



STABILITY OAK

GRADING



PRIME

GENERAL
Clear grade with mixture of natural grain.

KNOTS
Possible pin knots ≤ 10mm.

SAPWOOD
Minimal edge and core sapwood.^

FILLED DEFECTS
Allowed.

FILLER TYPE
Coloured filler to complement the wood.

CRACKS
Not allowed.

COLOUR
Natural variation.

GRAIN
Mixture of natural grain.



RUSTIC

GENERAL
Has a good mixture of natural grain and plentiful knots.

KNOTS
Healthy sound knots up to 70mm and firmly filled knots up to 35mm.

SAPWOOD
Minimal edge and core sapwood.^

FILLED DEFECTS
Allowed.

FILLER TYPE
Coloured filler to complement the wood.

CRACKS
Allowed up to 150mm long.

COLOUR
Natural variation.

GRAIN
Mixture of natural grain and knots.

GRADING RULES Grading rules may vary from country to country and manufacturer to manufacturer. Please check at time of order for a certain product/range. ^ More apparent in smoked and fumed finishes.

ELEGANCE OAK

DESIGNS & DIMENSIONS



Plank

- 15/3 190mm (Lengths 1900mm)
- 15/4 260mm (Lengths 2200mm)

Plank - up to 25% split boards per pack from 500mm




Herringbone

- 15/4 20/6 70 x 280mm*
- 15/4 20/6 70 x 350mm*
- 15/3 100 x 500mm
- 15/3 125 x 600mm




Chevron - 45 Degree Angle

- 15/3 125 x 475mm



ELEGANCE OAK

GRADING



SELECT

GENERAL

Clean grade with a mixture of natural grain and minimal knots.

KNOTS

Sound knots up to ≤ 10mm and filled knots up to ≤ 5mm diameter.

SAPWOOD

Minimal edge allowed. ^

FILLED DEFECTS

Allowed.

FILLER TYPE

Coloured filler to complement the wood.

CRACKS

Not allowed.

COLOUR

Natural variation.

GRAIN

Mixture of natural grain



RUSTIC

GENERAL

Has a good mixture of natural grain and plentiful knots.

KNOTS

Healthy sound knots up to 40mm and firmly filled knots up to 30mm.

SAPWOOD

Allowed. ^

FILLED DEFECTS

Allowed.

FILLER TYPE

Coloured filler to complement the wood.

CRACKS

Allowed up to 150mm long.

COLOUR

Natural variation.

GRAIN

Mixture of natural grain and knots.

TEXTURES & TREATMENTS



Light Smoked

Surface smoked – *tones of light to medium brown.*

Medium Smoked

Surface smoked – *tones of medium to dark brown.*

Dark Smoked


Surface smoked – *tones of dark brown.*

Fumed

100% Fumed – *tones of deep dark brown/black.*

⚡ Please be aware that when you buy smoked or fumed oak flooring variation in colour is to be expected.

This is the beauty of having these floors. Smoked floors will naturally lighten and mellow with time.



Light Brushed

Removing the soft grain enhances the texture of the timber, shown above on unfinished oak.

Medium Brushed


Available in light, medium or heavy brushed.

Heavy Brushed

UV Oil Finish

UV cured hardwax oil. Available in Extra Matt, Matt and Satin finishes.

In addition to the usual wastage allowance, for a more consistent appearance in smoked and fumed finishes additional m² of the product should be ordered to be more selective on site. Alternatively for a more consistent colour we recommend a stained or bespoke oil option is chosen and not a smoked finish. Please discuss this and/or request a sample.



Our **fumed and smoked** colours are achieved through a process which reacts with the natural tannins in the oak and although we use controlled processes, the final colours are dictated by nature and not by using pigmented stains.

The main difference between the two techniques; The Smoking process penetrates the veneer surface by 0.5 - 2mm in depth whilst the image shown here demonstrates that our Fumed oak penetrates the entire veneer layer.

Endless combinations of surface treatments are available to create your bespoke wood floor.

CARE TIP


To help care for your new wood floor we recommend using Osmo Wash and Care for regular cleaning and Osmo Maintenance Oil to refresh the surface.

We advise that you do not under any circumstance use a steam cleaner.

For more information please refer to our care and maintenance guide.



TEXTURES & TREATMENTS

 wfa_hq



Aged & Distressed

Each piece of flooring is tumbled to achieve an authentic aged look to the edges and surface of the timber.




Eased Edge

Each piece of flooring is 'hand eased' for that truly bespoke visual effect when installed.



Bandsawn

Our bandsawn floors have traditional cut marks across the face of the floor and particularly suit retail and commercial projects.





Bespoke Finish

OUR COLLECTIONS

- PLANK
- HERRINGBONE
- CHEVRON
- MANSION WEAVE
- CONTINUOUS VERSAILLES

Bespoke Wood Floors offer you the option of thickness, width and grade in your chosen finish.

Our core range of 20 finishes are a few of our favourites to whet your appetite; with endless options of textures, colours and finishes available.

Pages 17 to 22 show our core range colours in plank format. These finishes are available in the designs and dimensions shown on pages 8 to 11 and across pages 24 to 31.





BF4711



BF3630



BF3767



BF3796



BF902



BF903



BF497 



BF904



BF2830



BF4450



BF808



BF939



BF512



BF911



BF922



BF929



BF1976




BF638



BF941



BF920



Fumed Flooring

Our fumed and smoked colours are achieved through a process which reacts with the natural tannins in the oak. Although we use controlled processes when smoking **variation in colour will occur** and the final colours are dictated by nature and not by using pigmented stains.

The main difference between the two techniques; The **Smoking** process penetrates the veneer surface by 0.5 - 2mm in depth whilst the image shown here demonstrates that our **Fumed** oak penetrates the entire veneer layer.

Bespoke Finish

Herringbone Collection

Our classic herringbone blocks are available in our bespoke range of 20 finishes to complement our Plank collection.

Available from stock and finished to order are our 15x90x500mm and 20x90x500mm herringbone blocks in prime and rustic grades.

The alternative dimensions shown on page 6 are produced to order with delivery times confirmed at time of order.




BF911



BF808




BF939



BF4450



BF497




BF3630



BF512




BF3767




BF3796




BF4711



BF903



BF904



BF2830



BF911



BF902




BF922




BF929




BF1976



BF638



BF941



BF920

Chevron Collection

Our timeless chevrons are produced to order. Available in the dimensions shown on page 6 and in our bespoke range of 20 finishes.

Alternatively we can produce chevrons in any size to suit your project, please enquire for further details.




Bespoke Finish



BF808



BF939



BF4450



BF497




BF3630



BF512



BF3767




BF3796



BF4711



BF903




BF904



BF2830




BF911



BF902




BF922




BF929




BF1976



BF638



BF941



BF920

Continuous Versailles

This elegant flooring option can be traced back to the 16th century when it first became popular in the homes of the wealthy.

Produced to order in our bespoke range of 20 finishes.
Size 350 x 70mm weave and 140 x 140mm centres.



Bespoke Finish



BF808




BF939



BF4450



BF497




BF3630



BF512




BF3767



BF3796



BF4711



BF903




BF904



BF2830



BF911



BF902



BF922



BF929



BF1976



BF638



BF941



BF920

Mansion Weave

A complex parquet design similar to the weave pattern used in traditional textile production.

Sections of polygons and small trapezoids that taper at one end with the grain running in three different directions this design is produced to order in our bespoke range of 20 finishes.

Size 90mm wide weave and 200mm wide centres.



Bespoke Finish




BF808



BF939



BF4450



BF497



BF3630



BF512



BF3767




BF3796



BF4711



BF903



BF904



BF2830



BF911



BF902



BF922




BF929



BF1976



BF638



BF941



BF920



BF1976



BF922

Aged & Distressed

6 Colour Range of Plank and Herringbone in Prime and Rustic Grade European Oak.

Distinctive aged and distressed surface texture achieved through tumbling the products
Other designs and colours are available on request
All are finished in a Satin UV Oil

Planks

- 15/4 x 140 / 180 / 220 / 240mm
X Random Lengths 600-2200mm
- 20/6 x 140 / 180 / 220 / 260 / 300mm
X Random Lengths 1400-2400mm

Herringbone Blocks

- 11/4 x 70 x 350mm
- 15/4 x 70 x 350mm
- 15/4 x 90 x 500mm
- 15/4 x 120 x 600mm
- 20/5 x 70 x 350mm
- 20/6 x 90 x 500mm
- 20/6 x 120 x 600mm



BF925

BF932



BF931

BF943

BF3833

BF3834

The Tate

Traditionally the saw marks left behind when the logs were sawn gave Band Sawn flooring its name. Today machinery recreates this textured surface beautifully - **6 Colour Range.**

Plank size 140 / 180 / 220 x 15/4mm or 140 / 180 / 220 / 260 / 300 x 20/6 in random lengths

Other designs and colours are available on request


BF4686 has the most natural oak finish in the range and uses a RAW UV Oil

The remaining 7 are finished in a Matt UV Oil



BF4686

BF4687



BF4688

BF4689

BF4690

BF4691

Historic Collection

Crafted using alternative drying techniques, this collection enhances the natural beauty of oak. The process brings out pronounced, shrunken knots, deep splits, and visible planer marks - celebrating the wood's authentic character and timeless charm - **6 Colour Range.**

Plank size 15/3 x 220 x 500 - 2200mm
Other colours are available on request
All are finished in a Matt UV Oil



BF5154




BF5153



BF5154



BF5155



BF5156



BF5157



BF5158



London

6 Colour Range of 10/4mm Prime and Rustic European Oak in Herringbone or Chevron.

Herringbone sizes 500 x 90mm or 490 x 70mm

Chevron size 500 x 90mm

All are finished in a Satin UV Oil


Also available in 10/4mm is a *natural* selection of Plank, Herringbone and Chevron, all in a UV Oil or Lacquered finish. Please ask for details on these options.




BF2763



BF2755

BF2760 



BF2763

BF2793

BF2812 

BF2757

 Colour variation will occur.

Time Worn

9 Colour Range of European Oak Tumbled Herringbone - Solid Parquet in Prime and Rustic Grade or Engineered Blocks in Select and Rustic Grade

These beautiful blocks provide an authentic aged appearance. With subtle surface damage and slightly rounded corners, each piece has its own character to provide a great alternative to reclaimed blocks.


Solid Parquet Battens - 10mm
60 x 300mm / 70 x 280mm / 170 x 350mm

Engineered Blocks - 15/4mm & 20/6mm
70 x 280mm / 70 x 350mm

All are finished in either Matt or Satin UV Oil.




BF2705



BF2710



BF2705



BF2706



BF2707



BF2708




BF3786



BF2714



BF2709



BF3787

Elegance Bespoke

6 Colour Range of Plank, Herringbone and Chevron in **Select** or **Rustic** Grade European Oak.

Plank sizes
 15/3 x 190 x 1900mm / 15/4 x 260 x 2200mm
 - up to 25% split boards per pack permitted from 500mm.

Herringbone sizes
 15/3 x 100 x 500mm / 15/3 x 125 x 600mm

Chevron size
 15/3 x 125 x 475mm
 - overall length 600mm

All are finished in either Matt or Satin UV Oil

Bespoke Finishing

The above products are also available with bespoke colour matching or selected from 19 of the finishes in the Core Collection.*




BF4377



BF4373

BF4374



BF4375

BF4376

BF4377

BF4378



Genuine Reclaimed

4 Colour Range of Genuine Reclaimed Products.

This Collection is produced from 60-100 year old beams reclaimed from old buildings in France and Germany, finished products are Satin UV Oiled.


Planks 20.5/5.5 x 220 x 600 - 2400mm
- length subject to current stock

Herringbone 20.5/5.5 x 500 x 100mm

Chevron 17.5/5.5 x 600 x 100mm



BF2511



Unfinished

BF2511

BF2512

BF2513

Colour variation will occur.

†Please note that ALL woodworm is no longer alive.

End Grain

Unfinished solid End Grain floors are chosen for their unique character and grain detail.

All end grain is available in squares or rectangles, square edged or as a tumbled cobbled block. They are supplied unfinished and require sanding/finishing on site, after installation. Supplied in 18mm thickness as standard with 10mm to 50mm also available.



Oak



Oak End Grain - shown with a clear oil



Fumed Oak End Grain - shown with a clear oil



Pine End Grain - shown with a clear oil



Spruce End Grain - shown with a clear oil



Larch End Grain - shown with a clear oil



Oak Cobbles - shown with a white oil

PANELS

Our European Oak panels are available either unfinished or pre-finished in a bespoke oil. Shown here with a clear oil coat, they are featured in 10 popular designs. Alternatively, custom patterns can be produced from your supplied drawings.

Panels are offered in a variety of sizes and thicknesses, with options for bevelled or square edges. They can also be aged and distressed, fumed, heavy brushed—or any combination thereof—offering a vast range of possibilities tailored to your specific needs.

15/4mm or 20/6mm
- Sizes 580 x 580 / 800 x 800 / 1000 x 1000mm



Design 4



Design 1



Design 2



Design 3



Design 5



Design 6



Design 7



Design 8



Design 9



Design 10



Design 4 - Bevelled


METAL INLAYS

As a standard solid inlays are produced 3mm deep x 10mm face width *

Metal inlays in wood flooring are thin strips of metal – brass or aluminum – embedded into the surface of the wood. This technique brings a sophisticated, luxurious aesthetic while also adding structural definition and durability. Homeowners, designers, and architects are increasingly turning to metal inlays to create striking, personalised interiors that blend tradition with contemporary design.

- alternative sizes are available on request.

* Black Anodised is 9mm wide



Aluminium Satin



Aluminium Polished (Mirrored)



Black Anodised



Brass Satin




Brass Polished (Mirrored)



Brass Antique



Bronze Antique













STAIR COMPONENTS & MOULDINGS

Complete your flooring project with the perfect finishing touch, hand-finished bespoke hardwood mouldings and stair components. Designed to complement any installation, whether planks, herringbone, chevron, or more, these details bring a cohesive, refined look to every space.





Whether you've chosen a natural finish, a deep brushed grey, or a completely bespoke colour outside of the collections, our expert team can create complementing staircases, thresholds, trims, and more to complete the vision flawlessly.





Hardwood Mouldings - In Chosen Bespoke Finish		Size
Quadrant		19mm
Scotia		16mm
		19mm
Flat Bead		25mm
		40mm
L Section		14mm
		20mm
T Section		14mm
		20mm
Reducer		14mm
		20mm
Ramp		14mm
		20mm



Hardwood Mouldings - In Chosen Bespoke Finish		Size
Full Round Stair Nosing		For 10mm Flooring
		For 14/15mm Flooring
		For 20mm Flooring For 20mm Flooring 100% Fumed Oak option
Square Edge Stair Nosing		For 14/15mm Flooring
		For 20mm Flooring
		NOTE Both our nosing options are rebated for our Bespoke 15/20mm flooring.
All our hardwood mouldings are available in either 960 or 270mm lengths		
16mm Dowelled Radiator Pipe Collars 15mm in depth		Deep Ferrules 15mm
16mm Snap-able Radiator Pipe Collars - 4mm in depth		Slim Line Ferrules 4mm



BF638



BF1976




BESPOKE WOOD FLOORS

Est. 1999

T 020 8501 6730 E info@wfa.uk.net W wfa.uk.net

Spilspy Road, Harold Hill, Essex RM3 8SB

 [wfa_hq](https://www.instagram.com/wfa_hq)

