



The following technical datasheet is provided by Wakol.

For further information please either give us a call or visit the manufacturer's website.

Wood Floors and Accessories cannot be held liable for the information contained within this document.
All information is correct at the time of download from the manufacturer.

Spilsby Road • Harold Hill • Romford • RM3 8SB • **T** 020 8501 6730 • **E** info@wfa.uk.net • **W** www.wfa.uk.net

Registered in England under Company No: 03746590 VAT No: 765 9995 45

WAKOL D 3035 Dispersion Primer

Technical Information

Area of application

Ready-to-use dispersion-based primer for priming

- cement, calcium sulphate, cast asphalt concrete
- concrete subfloors
- magnesite screed with exclusively mineral-based additives
- thoroughly cleaned tiles, terrazzo
- wood planks, gypsum fibre boards
- water resistant adhesive residues

before subsequent levelling indoors.

Special properties



1)



2)

- solvent-free according to the definition of the TRGS 610
- suitable for chairs with castors
- suitable over underfloor heating

1) based on the criteria of GEV (Association for Emission-controlled Laying Materials), classified as EMICODE EC1 PLUS: very low in emissions

2) Emission class according to French law

Technical data

Raw material base:	polyacrylate dispersion
Drying time:	on cement paving and concrete subfloors following visible drying; on cast asphalt concrete, tiles, terrazzo and water resistant adhesive residues at least 60 min.; on calcium sulphate concrete, magnesite screed, wood planks and gypsum fibre boards 2 - 4 hours
Cleaning agent:	water before adhesive dries
Storage time:	12 months at room temperature
Storage temperature:	not below +5 °C, sensitive to frost
GISCODE:	D1

EMICODE: EC1 PLUS

Application and consumption³⁾:

WAKOL Primer Roller, short-haired velour or foam roller ca. 100 - 150 g/m²

3) Consumption is dependent on surface structure and absorbability of subfloor

Subfloors

The subfloor and the climatic conditions of the room must meet the requirements of DIN 18356 or 18365. Subfloors must be permanently dry, solid, and free from cracks, dirt and adhesion-inhibiting substances. Use a suitable mechanical procedure to remove separating layers.

Mechanically pretreat and thoroughly vacuum-clean calcium-sulphate-based screeds according to manufacturer's specifications or according to the currently applicable standards and codes.

Usage

Shake primer well before using. Apply WAKOL D 3035 Dispersion Primer with WAKOL Primer Roller, velour or foam roller on the subfloor, avoiding puddle formation. Subsequent levelling operations after the primer has completely dried; pay careful attention to drying times.

Important

Processing not below floor temperature of +15 °C and room temperature of +18 °C, as well as room humidity preferably between 40 % and 65 %, maximum 75 %.

In cold weather, warm up WAKOL D 3035 Dispersion Primer in due time in heated room.

All information is based on approx. 20 °C and 65 % relative air humidity.

Do not use WAKOL D 3035 Dispersion Primer on magnesite screeds with organic additives (stonewood screeds) and wooden material tiles.

Do not use WAKOL D 3035 Dispersion Primer directly under parquet adhesives.

We guarantee the uniform high quality of our products. All data is based on tests and many years of practical experience and refers to standardised conditions. The variety of materials used and the different construction site conditions, which lie beyond our control, preclude any claims based on this data. We therefore recommend making sufficient trials. Accompanying flooring manufacturer's instructions and the currently applicable codes must be observed. We gladly provide technical advice.

The product data sheets can be found in their latest version at www.wakol.com.

This Technical Information of 15.08.2017 supersedes all previous versions.

Material safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.02.2017

Version number 5

Revision: 17.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** WAKOL D 3035 Dispersion Primer
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Priming
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
WAKOL GmbH
Bottenbacher Str. 30
D-66954 Pirmasens
info@wakol.com
+49 6331 8001 0
- **Informing department:**
Product safety department.
msds@wakol.de
- **1.4 Emergency telephone number:**
Emergency CONTACT (24-Hour-Number):
GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
Contains 1,2-benzisothiazol-3(2H)-one, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1). May produce an allergic reaction.
Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Adhesive
- **Dangerous components:** Void
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.

(Contd. on page 2)

GB

Material safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.02.2017

Version number 5

Revision: 17.02.2017

Trade name: WAKOL D 3035 Dispersion Primer

(Contd. of page 1)

- **After swallowing**
Rinse out mouth and then drink plenty of water.
Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

Trade name: WAKOL D 3035 Dispersion Primer

(Contd. of page 2)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· **Material of gloves**

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Blue

· **Smell:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 7.5

· **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

· **Flash point:** Not applicable.

· **Inflammability (solid, gaseous)** Not applicable.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

(Contd. on page 4)

Material safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.02.2017

Version number 5

Revision: 17.02.2017

Trade name: WAKOL D 3035 Dispersion Primer

(Contd. of page 3)

- **Critical values for explosion:**
 - Lower: Not determined.
 - Upper: Not determined.
- **Steam pressure at 20 °C:** 23 hPa
- **Density at 20 °C** 1 g/cm³ (EN ISO 2811-1)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
 - Water: Fully miscible.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
 - dynamic: Not determined.
 - kinematic at 20 °C: 45 s (DIN 53211/4)
- **Solvent content:**
 - Organic solvents: 0.0 %
 - Water: 86.0 %
 - VOC 0.0 %
 - 0.00 %
- **Solids content:** 14.0 % (DIN EN 827.8.2)
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 5)

Trade name: WAKOL D 3035 Dispersion Primer

(Contd. of page 4)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **European waste catalogue**
- 08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
- 08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)
- 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.

(Contd. on page 6)

Material safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.02.2017

Version number 5

Revision: 17.02.2017

Trade name: WAKOL D 3035 Dispersion Primer

· UN "Model Regulation":

Void

(Contd. of page 5)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Other regulations, limitations and prohibitive regulations**
- **GEV-Guidline/EMICODE: EC 1 plus, "very low emission"**
- **VOC:**
- **VOC (EU) 0,0 g/l**
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

GB

ENVIRONMENTAL PRODUCT DECLARATION

for **WAKOL D 3035 Dispersion Primer**
as per ISO 14025 and EN 15804

The general Environmental Product Declaration (EPD) of the German IBU (Institut Bauen und Umwelt e.V) with the declaration number

EPD-DIV-20140103-IBG1-DE

for **Dispersion-based, solvent-free adhesives, fixatives, pre-coatings and primers for floor coverings and parquet flooring**

is applicable for the above mentioned building product and describes its environmental performance to promote sustainable construction.

The product is manufactured and distributed by:

Wakol GmbH
Bottenbacher Straße 30
D-66954 Pirmasens
(herinafter referred to as manufacturer)

This declaration of the "Institut Bauen und Umwelt e.V." is the data basis for presenting technical properties of a product, because it reveals all the relevant environmental data, which are indispensable for calculating the life cycle assessment or the energy consumption of a building.

It contains in detailed manner:

- General indications
- Product definition
- LCA (Life Cycle Assessment): calculation rules
- LCA: Szenarios and further technical information
- LCA: results
- LCA: interpretations
- Verifications

More information to EPDs can be found on the homepage of the "Institut Bauen und Umwelt e.V." – www.bau-umwelt.de.

The technical data sheet and more information to the product can be found on www.wakol.de.

This environmental product declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:



Pirmasens, 06.02.2017

Dr. Martin Schäfer
Director Research & Development,
Technical Service and Purchasing