



The following technical datasheet is provided by Protimeter.

For further information please either give us a call or visit the manufacturer's website.

Wood Floors and Accessories cannot be held liable for the information contained within this document.
All information is correct at the time of download from the manufacturer.

Spilsby Road • Harold Hill • Romford • RM3 8SB • **T** 020 8501 6730 • **E** info@wfa.uk.net • **W** www.wfa.uk.net

Registered in England under Company No: 03746590 VAT No: 765 9995 45

Aquant

Protimeter Non-Invasive Moisture Meter



Features

The Aquant is a non-invasive rapid test moisture meter for a wide range of building and construction materials.

- Measures up to 3/4" (19 mm) below the surface
- Adjustable auto off
- Audible tone
- Backlit LCD display
- GE³ color arc LED display

Benefits

- Detects moisture directly in materials and below wall and floor coverings such as tile, wood and vinyl
- Not adversely affected by surface moisture such as condensation
- Dual display LCD and LED for easy reading
- Color changing LEDs to show moisture condition green (dry), yellow (at risk) and red (wet)



Aquant Specifications

Dimensions (h x w x d)

7 in x 1.9 in x 2 in (175 mm x 48 mm x 50 mm)

Display 1

Digital LCD

Display 2

60 LEDs green (dry), yellow (at risk) and red (wet)

Measurement Range

Non-invasive (RF) 70 to 999 (relative)

Depth of Moisture

Up to 3/4 in (19 mm)

Case

Pouch with belt loop

Power

9 V (supplied)

Gross Weight

4 oz (100 g)

Warranty

24 months on mechanical or manufacturing defects. Does not include wearing part or accessories.

Part Number

BLD5765



www.ge-mcs.com

920-079D